

REAR RACK PACKS

www.kokpower.com



► REAR RACK
KOK-EB01




► PILLOW
KOK-EB02



► DOLPHIN
KOK-EB03



► BRILLIANCE
KOK-EB04



► KING KONG
KOK-EB05



► VUPECULA
KOK-EB06



► SILVERTIP
KOK-EB07



► SUPER SLIM
KOK-EB08



► SEAL
KOK-EB09



► SONG
KOK-EB10



► SHANSHAN
KOK-EB11



► APPLE
KOK-EB12



FEATURES

- Easily mounting to rear rack of ebikes
- Mult-functional BMS with full protection
- Alu. case length ajustable for more capacity
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light and controller box optional



CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
148*333(alu 268mm)	52	7S7P	24V15.4Ah	24V18.2Ah	24V20.3Ah	24V23.4Ah	24V24.5Ah
		10S5P	36V11Ah	36V13Ah	36V14.5Ah	36V16.7Ah	36V17.5Ah
		13S4P	48V8.8Ah	48V10.4Ah	48V11.6Ah	48V13.4Ah	48V14Ah
		14S3S	52V6.6Ah	52V7.8Ah	52V8.7Ah	52V10Ah	52V10.5Ah

The length of alu case can be tailored to the customer's ebike.

REAR RACK
KOK-EB01-long



FEATURES

- Easily mounting to rear rack of ebikes
- Mult-functional BMS with full protection
- Alu. case length ajustable for more capacity
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light and controller box optional




CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
148*82*415(alu 350)mm	104	7S14P	24V30.8Ah	24V36.4Ah	24V40.6Ah	24V46.8Ah	24V49Ah
		10S10P	36V22Ah	36V26Ah	36V29Ah	36V33.5Ah	36V35Ah
		13S8P	48V17.6Ah	48V20.8Ah	48V23.2Ah	48V26.8Ah	48V28Ah
		14S6S	52V13.2Ah	52V15.6Ah	52V17.4Ah	52V20Ah	52V21Ah

The length of alu case can be tailored to the customer's ebike.



FEATURES

- Easily mounting to rear rack of ebikes with controller box
- Mult-functional BMS with full protection
- Alu. case length ajustable for more capacity
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light, LED fuel gauge

CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
	52	7S7P	24V15.4Ah	24V18.2Ah	24V20.3Ah	24V23.4Ah	24V24.5Ah
		10S5P	36V11Ah	36V13Ah	36V14.5Ah	36V16.7Ah	36V17.5Ah
		13S4P	48V8.8Ah	48V10.4Ah	48V11.6Ah	48V13.4Ah	48V14Ah
		14S3S	52V6.6Ah	52V7.8Ah	52V8.7Ah	52V10Ah	52V10.5Ah
The length of alu case can be tailored to the customer's ebike.							


www.kokpower.com



FEATURES

- Easily mounting to rear rack of ebikes with controller box
- Mult-functional BMS with full protection
- Alu. case length ajustable for more capacity
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light



CELLS LAYOUT/DIMENSIONS	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
 电池盒外观尺寸 电池盒内控尺寸	52	7S7P	24V15.4Ah	24V18.2Ah	24V20.3Ah	24V23.4Ah	24V24.5Ah
		10S5P	36V11Ah	36V13Ah	36V14.5Ah	36V16.7Ah	36V17.5Ah
		13S4P	48V8.8Ah	48V10.4Ah	48V11.6Ah	48V13.4Ah	48V14Ah
		14S3S	52V6.6Ah	52V7.8Ah	52V8.7Ah	52V10Ah	52V10.5Ah

silver /black color optional, with controller box



FEATURES

- Stylish rear rack pack design
- Mult-functional BMS with full protection
- Waterproof grade: IP65
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light, silver/black color optional



CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
	52	7S7P	24V15.4Ah	24V18.2Ah	24V20.3Ah	24V23.4Ah	24V24.5Ah
		10S5P	36V11Ah	36V13Ah	36V14.5Ah	36V16.7Ah	36V17.5Ah
		13S4P	48V8.8Ah	48V10.4Ah	48V11.6Ah	48V13.4Ah	48V14Ah
		14S3S	52V6.6Ah	52V7.8Ah	52V8.7Ah	52V10Ah	52V10.5Ah

FEATURES



- Easily mounting to rear rack of ebikes
- Mult-functional BMS with full protection
- Super large capacity for max 120pcs 18650
- Long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Fuel guage, rear light,USB to charge mobile phone, pad, etc.



CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
outer: 425*158*85mm inner:295*140*70mm	120	7S17P	24V37.4Ah	24V44.2Ah	24V49.3Ah	24V56.9Ah	24V59.5Ah
		10S12P	36V26.4Ah	36V31.2Ah	36V34.8Ah	36V40.2Ah	36V42Ah
		13S9P	48V19.8Ah	48V23.4Ah	48V26.1Ah	48V30.1Ah	48V31.5Ah
		14S8S	52V17.6Ah	52V20.8Ah	52V23.2Ah	52V26.8Ah	52V28Ah

The length of alu case can be tailored to the customer's ebike;Silver/black color optional.



FEATURES

- Easy mounting and locking
- Mult-functional BMS with full protection
- Alu case length adjustable to fit in more cells
- Long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Silver /Black color optional



CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
KOK-EB27-1: 370*135*90mm	105	7S15P	24V33Ah	24V39Ah	24V43.5Ah	24V50.2Ah	24V52.5Ah
		10S10P	36V22Ah	36V26Ah	36V29Ah	36V33.5Ah	36V35Ah
		13S8P	48V17.6Ah	48V20.8Ah	48V23.2Ah	48V26.8Ah	48V28Ah
		14S7S	52V17.6Ah	52V20.8Ah	52V23.2Ah	52V26.8Ah	52V28Ah



FEATURES

- Stylish rear rack pack design
- Mult-functional BMS with full protection
- Alu. case length ajustable for more capacity
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light, silver/black /grey color optional
- Waterproof grade: IP65



CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
	52	7S7P	24V15.4Ah	24V18.2Ah	24V20.3Ah	24V23.4Ah	24V24.5Ah
		10S5P	36V11Ah	36V13Ah	36V14.5Ah	36V16.7Ah	36V17.5Ah
		13S4P	48V8.8Ah	48V10.4Ah	48V11.6Ah	48V13.4Ah	48V14Ah
		14S3S	52V6.6Ah	52V7.8Ah	52V8.7Ah	52V10Ah	52V10.5Ah



FEATURES

- Slim rear rack pack design
- Mult-functional BMS with full protection
- Optional smart BMS communication
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light



CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
	30	7S4P	24V8.8Ah	24V10.4Ah	24V11.6Ah	24V13.4Ah	24V14Ah
		10S3P	36V6.6Ah	36V7.8Ah	36V8.7Ah	36V10Ah	36V10.5Ah
		13S2P	48V4.4Ah	48V5.2Ah	48V5.8Ah	48V6.7Ah	48V7Ah
		14S2P	52V4.4Ah	52V5.2Ah	52V5.8Ah	52V6.7Ah	52V7Ah



FEATURES

- Easily mounting to rear rack of ebikes
- Mult-functional BMS with full protection
- Rear light
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- More colors optional

CELLS LAYOUT	MAX. CELLS	CONFIGU RATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
	52	7S7P	24V15.4Ah	24V18.2Ah	24V20.3Ah	24V23.4Ah	24V24.5Ah
		10S5P	36V11Ah	36V13Ah	36V14.5Ah	36V16.7Ah	36V17.5Ah
		13S4P	48V8.8Ah	48V10.4Ah	48V11.6Ah	48V13.4Ah	48V14Ah
		14S3S	52V6.6Ah	52V7.8Ah	52V8.7Ah	52V10Ah	52V10.5Ah



FEATURES

- Slim version of KOK-EB08-1
- Mult-functional BMS with full protection
- Optional smart BMS communication
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light, black /red color optional




CELLS LAYOUT		MAX. CELLS	CONFIGURATION	CAPACITY				
				2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
		30	7S4P	24V8.8Ah	24V10.4Ah	24V11.6Ah	24V13.4Ah	24V14Ah
			10S3P	36V6.6Ah	36V7.8Ah	36V8.7Ah	36V10Ah	36V10.5Ah
			13S2P	48V4.4Ah	48V5.2Ah	48V5.8Ah	48V6.7Ah	48V7Ah
			14S2P	52V4.4Ah	52V5.2Ah	52V5.8Ah	52V6.7Ah	52V7Ah

FEATURES

- Large capacity rear rack pack design
- Mult-functional BMS with full protection
- Optional smart BMS communication
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- Rear light, black /red color optional




CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
	65	7S9P	24V19.8Ah	24V23.4Ah	24V26.1Ah	24V30.1Ah	24V31.5Ah
		10S6P	36V13.2Ah	36V15.6Ah	36V17.4Ah	36V20.1Ah	36V21Ah
		13S5P	48V11Ah	48V13Ah	48V14.5Ah	48V16.7Ah	48V17.5Ah
		14S4P	52V8.8Ah	52V10.4Ah	52V11.6Ah	52V13.4Ah	52V14Ah



FEATURES

- Large capacity with 91 max. 18650 cells capacity
- Mult-functional BMS with full protection
- Rear light
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- More colors optional

CELLS LAYOUT	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
	91	7S13P	24V28.6Ah	24V33.8Ah	24V37.7Ah	24V43.5Ah	24V45.5Ah
		10S9P	36V19.8Ah	36V23.4Ah	36V26.1Ah	36V30.1Ah	36V31.5Ah
		13S7P	48V15.4Ah	48V18.2Ah	48V20.3Ah	48V23.4Ah	48V24.5Ah
		14S6S	52V13.2Ah	52V15.6Ah	52V17.4Ah	52V20.1Ah	52V21Ah

FEATURES

- Sleek design with rear light
- Mult-functional BMS with full protection
- With USB port
- Super long cycle life upto 1000 time
- Prolonged warranty of 18months
- With or without controller box optional
- Optional Smart system to show battery data via APP




DIMENSIONS	MAX. CELLS	CONFIGU RATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
373.8*90*83.1mm	52	7S7P	24V15.4Ah	24V18.2Ah	24V20.3Ah	24V23.4Ah	24V24.5Ah
		10S5P	36V11Ah	36V13Ah	36V14.5Ah	36V16.7Ah	36V17.5Ah
		13S4P	48V8.8Ah	48V10.4Ah	48V11.6Ah	48V13.4Ah	48V14Ah
		14S3S	52V6.6Ah	52V7.8Ah	52V8.7Ah	52V10Ah	52V10.5Ah



FEATURES

- Smart design with LED indicator
- Mult-functional BMS with full protection
- With USB port
- Super long cycle life upto 1000 time of 100%DOD
- Prolonged warranty of 18months
- With or without controller box optional
- Optional Smart system to show battery data via APP



DIMENSIONS	MAX. CELLS	CONFIGURATION	CAPACITY				
			2200mAh	2600mAh	2900mAh	3350mAh	3500mAh
	50	7S7P	24V15.4Ah	24V18.2Ah	24V20.3Ah	24V23.4Ah	24V24.5Ah
		10S5P	36V11Ah	36V13Ah	36V14.5Ah	36V16.7Ah	36V17.5Ah
		13S3P	48V6.6Ah	48V7.8Ah	48V8.7Ah	48V10Ah	48V10.5Ah
		14S3S	52V6.6Ah	52V7.8Ah	52V8.7Ah	52V10Ah	52V10.5Ah



KOK Power Tech Limited



Contact: Eliza Choi

market@kokpower.com

kokpowertech@gmail.com

Skype: kokpower@hotmail.com

Mobile/Whatsapp: +86 18683525512

www.kokpower.com